

AMENDMENTS TO THE CLAIMS:

Please cancel claims 1-86 without prejudice and add new claims 87-99 as follows.

1 – 86. (Cancelled)

87. (New) A method comprising:

assigning one or more segment IDs to one or more channels associated with one or more digitized segments of data;

determining a boundary number that represents the number of segment IDs to be aggregated into a first section and the number of corresponding digitized segments of data to be aggregated into a second section;

aggregating the determined boundary number of segment IDs into the first section, wherein the segment IDs share a destination node; and

aggregating the determined boundary number of digitized segments of data into the second section, wherein each aggregated digitized segment of data in the second section is associated with a segment ID in the first section.

88. (New) The method of claim 87, wherein aggregating the determined boundary number of segment IDs into the first section comprises adding an inactive ID if the number of segment IDs that share a destination node are less than the boundary number.

89. (New) The method of claim 87, wherein the boundary number is four.

90. (New) The method of claim 87, further comprising combining the first section and the second section into a packet segment.
91. (New) The method of claim 90, further comprising prepending a local area network (LAN) header to the packet segment to create a multi-channel packet; and transmitting the multi-channel packet over a local area network (LAN).
92. (New) The method of claim 91, wherein the LAN is an Ethernet, and the LAN header is a media access control (MAC) header.
93. (New) The method of claim 87, where one or more of the channels are fax channels, and one or more of the digitized segments of data represent fax data.
94. (New) The method of claim 87, where one or more of the channels are voice channels, and one or more of the digitized segments of data represent voice data.
95. (New) The method of claim 94, wherein one or more of the digitized segments of voice data include at least one sample of pulse-code modulated (PCM) voice data.
96. (New) The method of claim 87, wherein one or more of the digitized segments of data are obtained from a time-division multiplexed (TDM) stream of data.
97. (New) The method of claim 87, wherein one or more of the digitized segments of data are obtained from an asynchronous transfer multiplexed (ATM) stream of data.

98. (New) The method of claim 87, wherein one or more of the digitized segments of data are obtained from a payload of an input packet.

99. (New) The method of claim 98, wherein the input packet is an Real Time Protocol (RTP) packet.

2001 NOV 12 10 11 AM